

**In the Claims:****Please amend Claims 1, 2, 3, 4, 5, 9, and 10 as follows:**

- sub 1
1. (Amended) A semi-enclosed applicator for distributing a product having a first temperature onto a target surface, said applicator comprising:
- (a) a first side having a first internal surface and a first external surface;
  - (b) a second side having a second internal surface and a second external surface; wherein said first internal surface and said second internal surface form an internal cavity therebetween, said internal cavity having at least one externally accessible opening;
  - (c) a rupturable reservoir containing said product located proximate to said first internal surface; and,
  - (d) an activatable temperature changing element located proximate to said pouch; and, wherein said temperature changing element changes said first temperature of said product upon activation and prior to said product being released from said reservoir to said target surface through said first side in response to an application of pressure to said rupturable reservoir.
2. (Amended) The applicator of Claim 1, wherein said temperature changing element is located between said first and second internal surfaces.
3. (Amended) The applicator of Claim 1, wherein said applicator is adapted to cleanse, moisturize, condition, or otherwise treat skin, hair, nails, or combinations thereof.
- sub 1
4. (Amended) The applicator of Claim 1, wherein said product is selected from the group consisting of face cleansers, body cleansers, toners, lotions, moisturizers, ointments, cosmetics/make-ups, medicaments, related topically applied treatments, and combinations thereof.
5. (Amended) The applicator of Claim 4, wherein said product comprises components selected from the group consisting of alcohols, colorants/pigments, emollients, emulsifiers, oils, polymers, waxes, and the like.
- 
- sub 1
9. The applicator of Claim 1, wherein said first side and said second side each comprise at least one functional side.

10. The applicator of Claim 9, wherein at least one of said at least one functional side is adapted to cleanse, scrub, or exfoliate dead skin cells, absorb or pick up substances from said target surface, or deposit substances to said target surface.

Please add new Claims 13-20 as follows:

13. (New) A semi-enclosed applicator for distributing a product having a first temperature onto a target surface, said applicator comprising:

- a. a first side having a first internal surface and a first external surface;
- b. a second side having a second internal surface and a second external surface;  
wherein said first internal surface and said second internal surface form an internal cavity therebetween, said internal cavity having at least one externally accessible opening;
- c. a rupturable reservoir containing said product located proximate to said first external surface; and,
- d. an activatable temperature changing element located proximate to said pouch for changing said first temperature of said product;  
wherein said temperature changing element changes said first temperature of said product upon activation; and,  
wherein said product is released from said reservoir to said target surface upon the application of pressure to said rupturable reservoir.

14. (New) The applicator of Claim 13, wherein said temperature changing element is located on said first external surface.

15. (New) The applicator of Claim 13, wherein said rupturable pouch is provided with a frangible seal having a resistance to bursting.

16. (New) The applicator of Claim 13, further comprising a barrier layer disposed proximate to said first internal surface, said barrier layer being substantially impervious to said product.

17. (New) A semi-enclosed applicator for distributing a product having a first temperature onto a target surface, said applicator comprising:

- (a) a first side;
- (b) a second side opposed to said first side;
- (c) an internal cavity between said first and second sides, said applicator further having at

least one opening such that said internal cavity is externally accessible;

(d) a rupturable reservoir containing said product disposed on said first side; and,

(e) an activatable self-enclosed temperature changing element disposed within said product for heating said product;

wherein said temperature changing element changes said first temperature of said product upon activation; and,

wherein said product is released from said reservoir to said target surface through said first side upon an application of pressure to said rupturable reservoir.

18. (New) The applicator of Claim 17, wherein said temperature changing element changes the temperature of said product as said product is released from said reservoir.

19. (New) The applicator of Claim 17, wherein said reservoir further comprises a distribution channel, wherein said distribution channel controls the dispensing rate and direction of said product from said reservoir.

20. (New) The applicator of Claim 17, wherein said temperature changing element is disposed within said distribution channel.

---